


Ver	sion: 1.1				Revision Date: 25.07.2017	
SE	CTION 1: Identification of t	ne	substand	e/mixture and of the company/u	Indertaking	
1.1	Product identifier					
	Trade name	:	Hakaphos	s Calcidic Plus K		
1.2	Relevant identified uses of th	e s	ubstance	or mixture and uses advised again	st	
	Use of the Sub- stance/Mixture	:	Fertilizer			
1.3	Details of the supplier of the	saf	ety data s	heet		
	Company	:		EXPERT GmbH		
			Kroegerw D-48155			
			D-46155	wunster		
	Telephone	:	+49 (0) 2	51 29 79 81 – 000		
	Telefax	:	+49 (0) 2	51 29 79 81 - 111		
	E-mail address of person responsible for the SDS	:	info@con	npo-expert.com		
14	Emergency telephone numbe	r				
1.4	Quality / Safety / Environment					
	Telephone:+49 (0) 2151 - 579		C			
SE	SECTION 2: Hazards identification					
2.1	Classification of the substand	e e	or mixture			
	Classification (REGULATION	1 (F	FC) No 127	72/2008)		
	Oxidizing solids, Category 3	• (-	-0,110 121	H272: May intensify fire; oxidizer.		
	Skin corrosion/irritation, Sub-c	ate	gory 1B	H314: Causes severe skin burns an	d eye damage.	
	Acute toxicity, Category 4			H302: Harmful if swallowed.		

2.2 Label elements



Version: 1.1



Revision Date:
25.07.2017

	H272	May intensify fire; oxidizer.
Precautionary statements	: P102	Keep out of reach of children.
· · · · · · · · · · · · · · · · · · ·	P270	Do not eat, drink or smoke when using this product.
	Prevention:	•
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P220	Keep away from clothing and other com- bustible materials.
	P221	Take any precaution to avoid mixing with combustibles.
	P260	Do not breathe dust.
	P280	Wear protective gloves/ eye protection/ face protection.
	Response:	protocium
	P301 + P330 +	P331 IF SWALLOWED: Rinse mouth. Do
	1001110001	NOT induce vomiting.
	P303 + P361 +	•
	1 303 1 1 301 1	ately all contaminated clothing. Rinse skin with water.
	P305 + P351 +	
		ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/ physician.
	Storage: P405 Disposal:	Store locked up.
	P501	Dispose of contents / container in accord- ance with local / regional / national / interna- tional regulations.

2.3 Other hazards

Unspecified

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
urea phosphate (1:1)	4861-19-2 225-464-3	Skin Corr. 1B; H314	>= 1 - <= 5

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

Hakaphos Calcidic Plus K



Version: 1.1

Revision Date: 25.07.2017

potassium nitrate	7757-79-1 231-818-8 01-2119488224-35- XXXX	Ox. Sol. 3; H272	>= 10 - <= 55
nitric acid, ammonium calcium salt	15245-12-2 239-289-5 01-2119493947-16- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 35 - <= 55
disodium [[N,N'-ethylenebis[N- (carboxymethyl)glycinato]](4-)- N,N',O,O',ON,ON']cuprate(2-)	14025-15-1 237-864-5 05-2114842509-41- 0000	Acute Tox. 4; H302	>= 0,1 - <= 0,2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	If inhaled	:	Keep patient calm, remove to fresh air, seek medical atten- tion. If unconscious place in recovery position and seek medical advice. In case of lung irritation, first treatment with dexametason aerosol (spray).		
	In case of skin contact	:	Wash off with soap and water. Remove contaminated clothing. If irritation develops, get med- ical attention.		
	In case of eye contact	:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.		
	If swallowed	:	Clean mouth with water and drink afterwards plenty of water.		
4.2	4.2 Most important symptoms and effects, both acute and delayed				

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Water
Unsuitable extinguishing	: Foam



Revision Date:

Version: 1.1

	25.07.2017
media	Dry chemical Carbon dioxide (CO2) Sand
5.2 Special hazards arising from	the substance or mixture
Specific hazards during fire- fighting	 At temperatures above 130 °C, dangerous decomposition gases can be emitted: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo- nia Oxides of phosphorus
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Use personal protective equipment. Avoid contact with skin and eyes.

 6.2 Environmental precautions

 Environmental precautions
 Do not empty into drains. Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Use mechanical handling equipment.
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

none, For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling	 Avoid dust formation. Avoid contact with skin, eyes and clothing. Protect from contamination. Keep away from direct sunlight. Protect against heat. Protect from moisture.
Advice on protection against fire and explosion	: The product is not flammable. Keep away from heat and sources of ignition. Keep away from combustible materials.



Version: 1.1	Revision Date: 25.07.2017				
Hygiene measures	: At the end of the shift the skin should be cleaned and skin- care agents applied.				
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers : Keep away from heat. Keep away from sources of No smoking. Keep away from combustible material from contamination. When stored loose do not mix fertilizers. Protect against humidity (product is hygre and tends to cake or disintegrate)					
Advice on common storage	: Store well away from other substances.				
Storage class (TRGS 510)	: 5.1B, Oxidizing hazardous materials				
7.3 Specific end use(s)					

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

3 mg/m³ (Dust entering alveoli), 10 mg/m³ (inhalable dust)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value	
potassium nitrate	Workers	Inhalation	Systemic effects	36,7 mg/m3	
	Workers	Skin contact	Systemic effects	20,8 mg/kg	
Remarks:	Exposure time: 1	d			
	Consumers	Ingestion	Systemic effects	12,5 mg/kg	
Remarks:	Exposure time: 1 d				
	Consumers	Skin contact	Systemic effects	12,5 mg/kg	
Remarks:	Exposure time: 1 d				
	Consumers	Inhalation	Systemic effects	10,9 mg/m3	
nitric acid, ammonium calcium salt	Workers	Inhalation	Specific effects	24,5 mg/m3	
Remarks: Exposure time: 1 DAY				·	
	Workers	Skin contact	Specific effects	13,9 mg/kg	
Remarks:	Exposure time: 1 DAY				
	Consumers	Inhalation	systemic effects	6,3 mg/m3	
	Consumers	Skin contact	systemic effects	8,33 mg/kg	



ion: 1.1					Revision Date: 25.07.2017
	Consumer	s	Ingestion	systemic effects	8,33 mg/kg
Remarks:	Exposure	ime: 1	DAY		
Predicted No Eff	ect Concentratio	n (PN	EC) according to F	Regulation (EC) No	o. 1907/2006:
Substance name		Environmental Compartment			Value
potassium nitrate		Fresh water			0,45 mg/l
		Marin	e water		0,045 mg/l
		Ceilin	g Limit Value		4,5 mg/l
		Sewa	ge treatment plant		18 mg/l
nitric acid, ammonium calcium salt		Fresh water			0,45 mg/l
		Marin	e water		0,045 mg/l
		Ceilin	g Limit Value		4,5 mg/l

8.2

.2	Exposure controls		
	Engineering measures Provide adequate ventilation.		
	Personal protective equipment	nt	
	Eye protection	:	Tightly fitting safety goggles
	Hand protection Remarks	:	Chemical resistant protective gloves (EN 374). The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one pro- ducer to the other.
	Respiratory protection	:	Breathing apparatus only if aerosol or dust is formed. Particle filter EN 143 Type P2, medium efficiency, (solid and liquid particles of harmful substances).
Environmental exposure controls			
	General advice	:	Do not empty into drains. Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: various
Odour	: odourless
рН	: ca. 1,7, Concentration: 100 g/l (20 °C)

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

Hakaphos Calcidic Plus K





Revision Date: 25.07.2017

Melting point/range	: No data available
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: not auto-flammable
Upper explosion limit	: Not explosive
Lower explosion limit	: Not explosive
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: Not applicable
Bulk density	: ca. 1.050 kg/m³
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Viscosity Viscosity, dynamic	: Not applicable
Explosive properties	: Not explosive

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid



Version: 1.1	Revision Date: 25.07.2017			
Conditions to avoid	Corrosive to metals Contact with water or moist air liberates phosphoric acid.			
10.5 Incompatible materials				
Materials to avoid :	Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substanc- es, nitrites, metallic salts, metallic powder, herbicide, chlorin- ated hydrocarbons, organic compounds.			
10.6 Hazardous decomposition products				
Hazardous decomposition : products	Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo- nia			

Oxides of phosphorus

SECTION 11: Toxicological information

11.1 Information on toxicological effects

• '				
	Acute toxicity			
	Product: Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg	
	Components:			
	potassium nitrate: Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg	
	Acute inhalation toxicity	:	LC50 (Rat): 0,527 mg/l	
	Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg	
	nitric acid, ammonium calciu Acute oral toxicity		salt: LD50: > 300 mg/kg	
	Acute inhalation toxicity	:	Remarks: Not relevant because of low vapour pressure.	
			Remarks: Not relevant because of low dust formation.	
	Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Guideline 402	
	disodium [[N,N'-ethylenebis[N Acute oral toxicity		[carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-): LD50 Oral (Rat): > 1.750 mg/kg	

Skin corrosion/irritation

Product:

Result: No skin irritation



Version: 1.1

Revision Date: 25.07.2017

Components:

potassium nitrate: Species: Rabbit Result: No skin irritation

nitric acid, ammonium calcium salt:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: Irritant

Components:

potassium nitrate: Species: Rabbit Result: No eye irritation

nitric acid, ammonium calcium salt:

Species: Rabbit Result: Irritating to eyes.

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Components:

potassium nitrate: Result: non-sensitizing

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects The product has not been tested. The information is derived from the properties of the individual components.

Components:

potassium nitrate:		
Genotoxicity in vitro	:	Remarks: No data available

Carcinogenicity

Product:



Version: 1.1

Revision Date: 25.07.2017

Remarks: Contains no ingredient listed as a carcinogen

Components:

potassium nitrate:

Remarks: Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Product:

Effects on fertility	: Remarks: No toxicity to reproduction	
Effects on foetal develop- ment	: Remarks: Contains no ingredient listed as toxic to reproduc- tion	
<u>Components:</u> potassium nitrate: Effects on fertility	: Remarks: No toxicity to reproduction	
Effects on foetal develop- ment	: Remarks: Did not show teratogenic effects in animal experiments.	

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

potassium nitrate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

potassium nitrate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



Version: 1.1

Revision Date: 25.07.2017

Repeated dose toxicity

Components:

potassium nitrate: Species: Rat NOAEL: >= 1.500 mg/kg Exposure time: 1 d

Experience with human exposure

Product:

General Information

: Danger of methaemoglobin formation.

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

<u>Components:</u> potassium nitrate:			
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 490 mg/l Exposure time: 48 h	
Toxicity to algae	:	LC50 : >= 1.700 mg/l Exposure time: 10 d	
nitric acid, ammonium calciur	m	salt:	
Toxicity to fish	:	LC50 (Guppy): 1.378 mg/l Method: OECD Test Guideline 203	
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 490 mg/l	
Toxicity to algae	:	LC50 (other aquatic plant): > 1.700 mg/l	
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):			
Toxicity to fish	:	LC50 (Fish): > 100 mg/l	
Toxicity to algae	:	EC50 : 30 mg/l Exposure time: 96 h	



COMPO EXPERT®

Version: 1.1	Revision Date: 25.07.2017
12.2 Persistence and degradabi	lity
<u>Product:</u> Biodegradability	: Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.
<u>Components:</u> potassium nitrate:	
Biodegradability	: Remarks: The methods for determining the biological degra- dability are not applicable to inorganic substances.
nitric acid, ammonium calc	ium salt:
Biodegradability	: Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Bioaccumulation is unlikely.
Components:	
potassium nitrate: Bioaccumulation	: Remarks: Does not bioaccumulate.
nitric acid, ammonium calc Bioaccumulation	ium salt: : Remarks: Bioaccumulation is unlikely.
12.4 Mobility in soil	
Product:	
Mobility	: Remarks: Groundwater contamination is unlikely.
Distribution among environ- mental compartments	: Remarks: No data available
<u>Components:</u> potassium nitrate: Mobility	: Remarks: No data available
12.5 Results of PBT and vPvB a	ssessment
Product:	
Assessment	: Remarks: Not applicable
<u>Components:</u> potassium nitrate:	



Version: 1.1	Revision Date: 25.07.2017
Assessment	: This substance is not considered to be persistent, bioaccumu- lating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB)
12.6 Other adverse effects	
Product: Additional ecological infor- mation	 There is a high probability that the product is acute not harmful to aquatic organisms. Additional ecological information The product has not been tested. The information is derived from the properties of the individual components. At higher pH values, which can be found in natural surface
	waters, an increase of toxic effects on aquatic organsims may be expected.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: Check if agriculture use is possible. Contact manufacturer.
Contaminated packaging	: Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned.

SECTION 14: Transport information

14.1 UN number	
ADN	: UN 3084
ADR	: UN 3084
RID	: UN 3084
IMDG	: UN 3084
ΙΑΤΑ	: UN 3084
14.2 UN proper shipping name	
ADN	: CORROSIVE SOLID, OXIDIZING, N.O.S. (urea phosphate, potassium nitrate)
ADR	: CORROSIVE SOLID, OXIDIZING, N.O.S. (urea phosphate, potassium nitrate)
RID	: CORROSIVE SOLID, OXIDIZING, N.O.S. (urea phosphate, potassium nitrate)
IMDG	: CORROSIVE SOLID, OXIDIZING, N.O.S. (urea phosphate, potassium nitrate)
ΙΑΤΑ	: Corrosive solid, oxidizing, n.o.s.

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

Hakaphos Calcidic Plus K



Version: 1.1

Revision Date: 25.07.2017

(urea phosphate, potassium nitrate)

14.3 Transport hazard class(es)

ADN	:	8 (5.1)
ADR	:	8 (5.1)
RID	:	8 (5.1)
IMDG	:	8 (5.1)
ΙΑΤΑ	:	8 (5.1)

14.4 Packing group

ADN Packing group Classification Code Hazard Identification Number Labels		II CO2 85 8 (5.1)
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		II CO2 85 8 (5.1) (E)
RID Packing group Classification Code Hazard Identification Number Labels		II CO2 85 8 (5.1)
IMDG Packing group Labels EmS Code		II 8 (5.1) F-A, S-Q
IATA Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	: : : : : : : : : : : : : : : : : : : :	863 859 Y844 II 8, 5.1
14.5 Environmental hazards		
ADN Environmentally hazardous	:	no
ADR Environmentally hazardous	:	no

Version: 11



Revision Date:

		25.07	
RID Environmentally hazardous	: no		
IMDG Marine pollutant	: no		
14.6 Special precautions for us Not applicable	er		

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class : WGK 1 slightly water endangering (Germany)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H302 : H314 :	May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage
H318 :	Causes serious eye damage.

Full text of other abbreviations

Acute Tox. :	Acute toxicity
Eye Dam. :	Serious eye damage
Ox. Sol. :	Oxidizing solids
Skin Corr. :	Skin corrosion

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of



Revision Date: 25.07.2017

Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN

Version: 1.1